

# GELID SOLUTIONS

Unit 704B, 7/F., Sunbeam Centre, 27 Shing Yip Street, Kwun Tong, Kowloon, Hong Kong  
Tel. +852 8199 0329 | Fax.+852 3904 8133  
[www.gelidsolutions.com](http://www.gelidsolutions.com)

HeatPhase Ultra  
Phase Change Thermal Interface


DATE

10-Nov-2023

Specifications	
Density:	2.8±0.2g·cm <sup>3</sup>
Dimensions:	40 x 30 x 0.2mm
Operating Temperature Range:	-50~125°C
Phase Transition Temperature:	45°C
Thermal Conductivity:	8.5W/m·K
Volume Resistivity:	1.0 x 10 <sup>12</sup> Ω·cm

Product information	
Model no.:	PH-GC-02-I
EAN (3mm):	4897025783836
Package Content	HeatPhase Ultra 40x30x0.2mm x 1

Thermal Impedance (TI) vs. Pressure



**GELID SOLUTIONS**

**HeatPhase Ultra**  
Phase Change Thermal Interface  
40 x 30 x 0.2mm

Compatible to:  
**Intel**

- Easier Application & Removal
- Ultra Heat Conductivity
- Ultra-Durable & Non-Curing
- Non-Electrical Conductive
- Non Bleeding & User Friendly